IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED CENTRAL FAX CENTER

Serial No.: 10/630,658

Group Art Unit: 1762

APR 2 8 2005

Inventor(s): Thomas A. Taylor

Filed: July 31, 2003

Title: SHIELDED CERAMIC THERMAL COATING

Examiner: K.A. Bareford

PETITION FOR EXTENSION OF TIME AND ACCOMPANYING FRES

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

(A) Extension of Time and Requisite Fee:

The undersigned Attorney respectfully petitions the Hon. Commissioner of Patents and Trademarks to extend the time for taking action in the above-identified application for a period of time indicated in the box below.

- (1) Original Period for Response was Set to Expire on:

 2/1/05
 (Month/Day/Year)
- (2) Statutory Period Expires 5/1/05 (Month/Day/Year)

Extension now requested (NOT TO EXCEED STATUTORY PERIOD) is for the following period of time from date (1) above:

	One Month Two Months Three Months Four Months Credit is requested for prior extension fees paid	Fee \$ 120.00 \$ 450.00 \$ 1020.00 \$1,590.00 \$
(音)	Additional Fee for Response filed herewith: Amendment (additional claims) Notice of Appeal Appeal Brief Declaration	\$500.00 \$130.00

(C) Total Fee for this Petition and any Response filed herewith:

The total fee, in the amount of \$1,050.00, is to be charged to Deposit Account No. 16-2440.

Please charge any additional fee which may be required for this Petition and/or Response, or credit any overpayment, to Deposit Account No. 16-2440. A duplicate copy of this paper is enclosed for the convenience of the Finance Branch.

Praxair, Inc.
Danbury, Connecticut 06810-5113

Dated: April 28, 2005

Respectfully submitted,

Atterney for Applicant(s)
Registration No. 29910

Gerald L. Coon

Telephone No. (203) 837-2292

Our Ref: D-21320

Cartificate of Transmission

Thereby carrily that this correspondence is being the limit transmitted to the United States Patent and Trademerk Office, Fax Na. (703) 872 - 9306 on 4/28/05 (Date)

Typed or printed name of person signing this certificate:

Signature: Manganet Handy

RECEIVED CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/630,658

Group Art Unit: 1762

APR 28 2005

Inventor(s): Thomas A. Taylor

Title: SHIELDED CERAMIC THERMAL COATING

Examiner: K.A. Bareford

Filed: July 31, 2003

PETITION FOR EXTENSION OF TIME AND ACCOMPANYING FEES

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

(A) Extension of Time and Requisite Fee:

The undersigned Attorney respectfully peritions the Hon. Commissioner of Patents and Trademarks to extend the time for taking action in the above-tdentified application for a period of time indicated in the box below.

(1)	Original 2/3	Period L/05	for	Response	was	Set	to	Expire	on:
	(Mont)								

(2)	Statutory	Period	Expires	5/1/05
				(Month/Day/Year)

Extension now requested (NOT TO EXCRED STATUTORY PERIOD) is for the following period of time from date (1) above:

	One Month Two Months Three Months Four Months Credit is requested for prior extension fees paid	\$ 120.00 \$ 450.00 \$ 1020.00 \$1,590.00
(B)	Additional Fee for Response filed herewith: Amendment (additional claims) Notice of Appeal	\$500.00 \$130.00

(C) Total Fee for this Petition and any Response filed herewith:

The total fee, in the amount of \$1,050.00, is to be charged to Deposit Account No. 16-2440.

Please charge any additional fee which may be required for this Petition and/or Response, or credit any overpayment, to Deposit Account No. 16-2440. A duplicate copy of this paper is enclosed for the convenience of the Finance Branch.

Praxair, Inc.	Respectfully subjitted, Atterney for Applicant(s
Danbury, Connecticut 06810-5113	Registration No. 29910
Dated: April 28, 2005	Gerald L. Coon
Our Ref: D-21320	Certificate of Transmission

Telephone No. (203) 837-2292

Thereby certify that this correspondence is being faceimile framemitted to the United States Patent and Trademark Office, Fax No. (70s) 872 • 9306 on 4/28/05 (Date)

Typed or printed name of person signing this certificate:

Signature: MARGARET HANDY